

Represented by



ILLINGTM
P A C K A G I N G

Product Specification Sheet

Illing Part#

3611SHS

89-400 WHT SMTH CT HS FOIL TRI-TAB .008 C1S/FS 5-8 "SFYP"

Part #: 3611SHS

Size:	89-400
Color:	White
Material:	Polypropylene
Style:	Smooth Closure Top
Additional Info:	Heat Seal Foil, Sealed for Your Protection
Case Pack:	624 each
Pallet Pack:	9360 each

Represented by



Product Specification Sheet

Illing Part#

3611SHS

SMOOTH TOPS & SIDES

89-400-85 S



Specifications:

- DIAMETER 89 mm
- THREAD PROFILE 400
- NECK FINISH 89-400
- CLOSURE TOP Smooth
- CLOSURE SIDEWALL Smooth
- MATERIAL PP

PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Stacked	624	15	9,360	TBD ⁽¹⁾	TBD ⁽¹⁾	TBD ⁽¹⁾
Stacked	624	15	9,360	32 ⁽²⁾	475 ⁽²⁾	100 ⁽²⁾
CARTON DIMENSIONS: 24 x 16 x 15			PALLET DIMENSIONS: 48 x 40 x 50			

(1) Unlined Closures (2) Lined Closures *Approximate

MARKETS

Nutraceuticals, Personal Care & Cosmetics, and Pharmaceuticals.

OPTIONS

Available in white, standard, and custom colors. Can be lined with a variety of liner systems including SureSeal (foam), pressure sensitive and heat induction (foil) liners. Off-set printing is available in up to three colors. Liners can be cut with a pull-tab easy-open feature.

CLOSURE BENEFITS

- Smooth top and sides lend a “clean” look to the package
- Popular for vitamins and nutraceuticals
- Popular for cosmetics



PHOENIX™

PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
1899 High Grove Lane Naperville, IL 60540

Represented by



Product Specification Sheet

Illing Part#

3611SHS



FoilSeal™ Technical Data Sheet

.008" C1S FS 5-8

Revision: FS58-05062020

Product	.008" C1S FS 5-8																	
Scope	One piece board backed heat induction foil inner seal which will provide a tamper-evident bond to PE, PS, PET, PVC, PP and treated glass containers. It is recommended for use with dry and semi-liquid products not containing essential oils. FS 5-8 is an alternative to FS 5-4.																	
Composition	<table border="1"> <thead> <tr> <th>Material</th> <th>Standard</th> <th>Metric</th> </tr> </thead> <tbody> <tr> <td>Backing</td> <td>.008"</td> <td>.2032 mm</td> </tr> <tr> <td>Paper</td> <td>.002"</td> <td>.0508 mm</td> </tr> <tr> <td>Foil</td> <td>.0003"</td> <td>.0076 mm</td> </tr> <tr> <td>Heat Seal</td> <td>.0015"</td> <td>.0381 mm</td> </tr> </tbody> </table>	Material	Standard	Metric	Backing	.008"	.2032 mm	Paper	.002"	.0508 mm	Foil	.0003"	.0076 mm	Heat Seal	.0015"	.0381 mm		
Material	Standard	Metric																
Backing	.008"	.2032 mm																
Paper	.002"	.0508 mm																
Foil	.0003"	.0076 mm																
Heat Seal	.0015"	.0381 mm																
FDA Status: 21 CFR 177.1210	Recommended Storage and Handling: Refer to Website.																	
Drug Master File (DMF): #4544	EU / EP Reg.: Compliant with Reg. EC/10/2011, Reg. EC/1935/2004 and Reg. EC/2023/2006, as amended, for use with dry, non-fatty, and non-alcoholic food products only. If used incorrectly, the liner may have an effect on the organoleptic properties of the product under EC/1935/2004 Article 3 and EC/2023/2006 Article 3a																	
GTR Oxygen: Essentially Zero	MVTR: Essentially Zero																	
Sealing to glass containers: Selig can not guarantee the performance or seal integrity of this materials when applied to any glass (treated or untreated) container. We suggest you contact your glass supplier for recommendations on glass treatments that may or may not improve performance or seal integrity.																		
Print Location (if any): Heat Seal Layer and/or Backing																		

Adhesive or resin bonding layers not shown.

Selig materials are compliant with current USFDA Food allergen Guidelines.

Selig materials are compliant with California Proposition 65 labeling requirements.

Selig materials are compliant with limitation of heavy metals in packaging per CONEG & EU 94/62/EC, article 11.

Recommended for use with dry food products. Is not suitable for use with fatty or alcoholic food types per ECC Reg. № 10/2011. Determining specific organoleptic compatibility per Article 3a of ECC Reg. № 2023/2006 is the responsibility of the food packager.

MSDS's are not required as Selig is not a chemical manufacturer or distributor and our products are 'articles' intended for food packaging per 29 CFR 1910.1200 (HazCom).

The information contained within this product data bulletin is to be used as a general guide in determining which structures are offered for sealing to specific container materials. All of the information which we provide is reliable to the best of our knowledge, but the accuracy thereof is not guaranteed. We suggest that consumers determine suitability for their own application.

www.seligsealing.com

USA Manufacturing
342 E Wabash Ave.
Forrest, IL 61741, USA
Phone: +1 (815) 785-2100
Fax: +1 (815) 657-7584

North American Sales
184 Shuman Blvd.,
Suite 310
Naperville, IL 60563, USA
Phone: +1 (630) 922-3158
Fax: +1 (630) 922-8469

European Sales and UK Manufacturing
635-637 Ajax Avenue
Slough Trading Estate
Slough Berkshire SL1 4BH UK
Phone: +44 (0) 1753 773 000
Fax: +44 (0) 1753 773 111

Canada Manufacturing
145 Edward Street
Aurora, Ontario Canada, L4G 1W3
Phone: +1 (905) 727-0114
Fax: +1 (905) 727-8544

Switzerland Manufacturing
Bahnhofstrasse 13
8172 Niederglatt
Phone: +41 (0) 44 851 50 50
Fax: +41 (0) 44 851 50 51